

RESEARCH PEPTIDE

Wolverine Blend

BPC-157 + TB-500

Tissue Repair & Recovery

A synergistic blend of BPC-157 and TB-500 (Thymosin Beta-4) commonly researched for tissue repair, inflammation support, joint health, muscle recovery and overall recovery.



RESEARCH
TODAY



DISCOVER
TOMORROW



A HEALTHIER
HUMAN POTENTIAL



SCIENCE
INSPIRES
HUMAN
POTENTIAL



WHAT IS WOLVERINE BLEND?

The Wolverine Blend combines BPC-157 (derived from a gastric protective protein) and TB-500 (Thymosin Beta-4), two research peptides known for their complementary roles in tissue repair and recovery. BPC-157 has been studied for its potential to support tendon, ligament, muscle and gastrointestinal tissue repair, while TB-500 is researched for its role in cell migration, angiogenesis and tissue regeneration. Together, this blend is commonly used in research settings for recovery from acute injuries, chronic overuse conditions and post-procedure healing.



RESEARCH SNAPSHOT

COMPOUND

Wolverine Blend
BPC-157 + TB-500



AVAILABLE STRENGTHS

10 mg + 10 mg
30 mg + 30 mg
(Lyophilized powder)



RESEARCH CATEGORY

- Tissue Repair
- Recovery
- Joint Health
- Anti-inflammatory
- Musculoskeletal Support



RESEARCH STATUS

- Preclinical research
- Emerging human research
- Extensive mechanistic evidence



WHAT IS IT STUDIED FOR?

- Tendon and ligament repair
- Muscle recovery
- Joint health
- Inflammatory response
- Gastrointestinal health
- Post-procedure recovery
- Overall tissue repair and regeneration



HOW IT MAY WORK?

- BPC-157 may support localized repair processes in tendons, ligaments, muscles and gut tissue.
- TB-500 may act systemically, promoting cell migration, angiogenesis and tissue regeneration.
- Together, the blend may enhance natural healing mechanisms, reduce inflammation and support faster recovery.
- The combination is frequently researched for synergistic effects in tissue repair and recovery.



RESEARCH TIMELINE / EXPECTATIONS

1-2 WEEKS

Early reduction in inflammation and improved mobility may be noticed.

WEEKS 3-6

Continued healing, improved function and reduced pain may occur.

WEEKS 6-8

Further tissue repair and strength improvements may be evident.

8+ WEEKS

Ongoing benefits with continued research use depending on goals and individual response.



RESEARCH PROTOCOLS

PARAMETER	10 mg + 10 mg	30 mg + 30 mg
Reconstitute	1 mL Bacteriostatic Water	3 mL Bacteriostatic Water
Starting Dose	0.5 mg + 0.5 mg (5 units)	0.5 mg + 0.5 mg (5 units)
Typical Range	0.5 mg – 2 mg each (5 – 20 units)	0.5 mg – 2 mg each (5 – 20 units)
Frequency	Daily	Daily
Cycle Duration	8-12 weeks	8-12 weeks
Notes	Acute injury research: 1-2 mg each daily. Maintenance: 1 mg each, 3x/week.	Acute injury research: 1-2 mg each daily. Maintenance: 1 mg each, 3x/week.



MIXING & RECONSTITUTION

10 mg + 10 mg

Add 1 mL bacteriostatic water (10 mg/mL each)
5 units = 0.5 mg + 0.5 mg
10 units = 1 mg + 1 mg
20 units = 2 mg + 2 mg

30 mg + 30 mg

Add 3 mL bacteriostatic water (10 mg/mL each)
5 units = 0.5 mg + 0.5 mg
10 units = 1 mg + 1 mg
20 units = 2 mg + 2 mg



IMPORTANT CONSIDERATIONS

- Not approved for human use (BPC-157 is prohibited by WADA).
- Avoid in pregnancy or breastfeeding.
- Avoid with active or recent cancer unless under medical supervision.
- Use only in research settings.
- Possible side effects: mild injection site irritation, nausea or headaches.
- Long-term safety has not been established.



SCIENTIFIC INTEGRITY

Alpine Ascent Research is committed to providing accurate, balanced, and evidence-based information. We do not make medical claims. Our resources are for educational and research purposes only.



RESEARCH USE ONLY

For research and educational purposes only. Not for human consumption. Conduct research responsibly and in accordance with all applicable laws and regulations.

LEARN MORE

Visit alpineascent.ca for more research protocols and educational resources.

RESEARCH TODAY. A BRIGHTER TOMORROW.

